

**Claims**

1-12 Canceled

13. (New) A measuring device (1) for determining at least of one or more characteristics of a fluid and a level of the fluid in a reservoir (8) receiving the fluid, which is arranged in a brake fluid reservoir of a motor vehicle brake system that is controlled electronically, the device comprising:  
  
a measuring electronic system (2) integrated into the measuring device;  
  
a sensor device (4) which is connected to the measuring electronic system in an electrically conductive fashion and used to determine at least one of the fluid characteristics and to determine the filling level of the fluid in the reservoir receiving the fluid,  
  
an electric supply line (18, 26) providing an electric connection between the measuring electronic system and the sensor device, and  
  
an electric connecting line (9) providing a connection between the measuring device and an electronic control unit for transmission of the sensor signals.
14. (New) A measuring device according to claim 12, wherein the measuring device includes two or multi-part separable housing parts being configured as a cartridge, and at least one of the housing parts is provided with an area that is partly permeable for the fluid or with an opening which presets a defined flow resistance.
15. (New) A measuring device according to claim 12, wherein inside the measuring device there is a zone of separation being used to protect the electronics against the brake fluid, with a result that in particular the area of the device is hermetically closed in which the electronics is accommodated.
16. (New) A measuring device according to claim 15, wherein the zone of separation is

AP 10994

arranged in the area where the housing parts are separated.

17. (New) A measuring device according to claim 12, wherein the electric supply line is formed of wires or plane conductors which are led in a seal-tight manner especially through the zone of separation.
18. (New) A measuring device according to claim 12, wherein the device is assembled of several parts and can be modified in terms of length in order to adapt to various reservoir shapes, or at least the outside housing is shaped integrally of one material.
19. (New) A measuring device according to claim 12, wherein the measuring device is mounted at the top housing part (21) or the cover (7) or into the wall or into the bottom of the reservoir.
20. (New) A measuring device according to claim 19, wherein the measuring device (1) is fixed in an area of the reservoir wall or the reservoir cover and is displaced axially in the direction of the longitudinal axis of the measuring device for the adjustment in length, or can be turned by a minimum angle about the longitudinal axis in relation to the reservoir or the cover.
21. (New) A measuring device according to claim 12, wherein the device comprises a plug cap (24) for connection of a plug (25) for the electric connecting line (9), in which in particular the measuring electronic system is attached, and the plug cap is displaceable or can be turned by a minimum angle about the longitudinal axis in relation to the reservoir or the cover.
22. (New) A measuring device according to claim 12, wherein sealing of the electronics and the sensor area is provided by a shaped part which bears from inside against the housing wall of the electronics area in large parts in a form-fit

AP 10994

manner, and the shaped part is an integral elastic seal in particular, or sealing is performed by at least one elastic sealing ring.

23. (New) A measuring device according to claim 12, wherein a venting arrangement is provided in the sealing area of the cover.
24. (New) A measuring device according to claim 12, wherein the electronics area is sealed towards the engine compartment by way of a plug extension (27) which additionally comprises a connecting plug (30) for the sensor connecting cable.